

# 4G HD100 Integrated Printing Mobile Handheld Android Equipment POS



**Shenzhen Zhaohe Technology Co., Ltd.**

**Add: 3B21, Building D, Juji Industrial Park, Baoan District, Shenzhen, China**

**Tel: +86 17688569506**

**Email: [info@showasz.com](mailto:info@showasz.com)**

## 1.Introduction

HD100 Android POS with printer & **fingerprint collection module**(optional) , android 9.0 operating system, 5.5 inch screen touch, super long standby battery capacity is 2800 mAh/7.4V, thermal paper printer, 5 Mega-pixel camera, 2G / 3G / 4G /wifi, bluetooth communication, this fine workmanship and top quality machine is the best choice in the market.

## 2.Feature

- ❖ **Android 9.0 operating system:** adopt the open android system, can let the user a simple and efficient development of the upper application.
- ❖ **Serviceable range :** apply chain supermarkets, restaurants, Parking system, Prepaid airtime top up, convenience stores, clothing store, premises, bakery, cashier, pay, enters sells saves the business management function.

## 3.Technical Specification

HD100	
Operating System	Android 9.0
CPU model	MTK Quad-Core Processor
CPU Clock Range	1.3GHz
RAM	2G DDR3
FLASH	16 GB
LCD Screen	5.5 inch
Display Resolution	720*1280
Backlit	LED
Touch Screen	Capacitive Five-Point Touch
<b>Fingerprint collection module(optional)</b>	Spatial resolution :508 DPI <b>Active sensor area :12.8mm*18.0mm</b> (In compliance with FBI, STQC)
SIM card bands	4G: <b>FDD-LTE,TD-LTE</b> 3G: WCDMA 2G: GSM, <b>GPRS</b> <b>Hot spot</b> <b>Bluetooth</b>
Voice call	Support
Data	Support

SMS&MMS	Support
WIFI Module	802.11a/b/g/n, 2.4G+5G
Bluetooth	Support
GPS	Support
USB	USB 2.0(OTG)
Rear Camera	5 Mega-pixel
Speaker	Support
Microphone	Support
Card Slot	SIM ×2;SD×1(support SD3.0, up to 128GB)
Physical button	power button x 1
Dimension	199.75mm x 83mm x 57.5mm
Weight	414g (one package box including product is 750g)
Battery	Lithium Battery
Battery Capacity	7.4V    2800mAh
Power adapter	5V DC/2A
Directly NFC reader	Support ISO / IEC 14443 A&B, Mifare, felica card, conform to EMV / PBOC PAYPASS standard ,(Option)
Printer	Paper width:58mm
	Max. paper roll diameter:40mm
Charging indicator light	Single color LED
Standard Accessories	1pc power adaptor, 1pc User Manual, 1pc USB-type C cable, 1 roll 58mm thermal paper
Optional Accessories	Silicon case ,Hand Belt,Fingerprint scanner
Temperature	Storage temperature: -10℃-60℃ Working Temperature: 0℃-50℃
Certificate	FCC, CE,RoHS